

SAFETY DATA SHEET

Page 1 of 3

CHEWING GUM REMOVER THICK

Revision 18
Revision date 15-Mar-2007

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name CHEWING GUM REMOVER THICK

Company Merlin Chemicals Ltd
Unit 5, Passfield Mill Business Park, Liphook, Hants. GU30 7RR
technical@merlinchemicals.co.uk
www.merlinchemicals.co.uk

Telephone 01428 751122

Fax 01428 751133

2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients

	Conc.	CAS	EINECS	Symbols/Risk phrases
Kerosine - unspecified - distillates (petroleum), hydrotreated light	20 - 30%	64742-47-8	265-149-8	Xn; R65
Terpine Hydrocarbons	50 - 60%	8028-48-6	232-433-8	R10 Xi;R38 R52/53 Xn;R65

3. HAZARDS IDENTIFICATION

Main hazards Flammable Irritating to skin. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Harmful: may cause lung damage if swallowed.

4. FIRST AID MEASURES

Skin contact Irritating to skin. Wash off immediately with plenty of soap and water. Seek medical attention if irritation or symptoms persist.

Eye contact Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.

Inhalation Irritating to respiratory system. Move the exposed person to fresh air. Seek medical attention.

Ingestion Harmful if swallowed. If swallowed, seek medical advice immediately and show this container or label. DO NOT INDUCE VOMITING.

5. FIRE FIGHTING MEASURES

Extinguishing media Use extinguishing media appropriate to the surrounding fire conditions.

Fire hazards Burning produces irritating, toxic and obnoxious fumes.

Protective equipment Wear: Self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Ensure adequate ventilation of the working area. Wear suitable protective equipment.

Environmental precautions Prevent further spillage if safe. Do not allow product to enter drains. Do not flush into surface water. Advise local authorities if large spills cannot be contained.

Clean up methods Contain with sand or granules. Transfer to suitable, labelled containers for disposal. Wash affected area with clean water.

CHEWING GUM REMOVER THICK

Revision 18
Revision date 15-Mar-2007

7. HANDLING AND STORAGE

Handling	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area.
Storage	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures	Ensure adequate ventilation of the working area.
Respiratory protection	Not normally required.
Hand protection	Butyl rubber gloves.
Eye protection	Safety glasses.
Protective equipment	Adopt best Manual Handling considerations when handling, carrying and dispensing.
Environmental exposure controls	Users should be aware of environmental considerations and their duties under the Environmental Protection Act.

9. PHYSICAL AND CHEMICAL PROPERTIES

Description	Liquid.
Colour	Colourless.
Odour	Characteristic.
Flash point	55°C
Relative density	0.820 - 0.830
Water solubility	insoluble in water.

10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions.
Materials to avoid	Acids. Oxidising agents.

11. TOXICOLOGICAL INFORMATION

Acute toxicity	The material is unlikely to cause any adverse effects in normal conditions of handling and use.
-----------------------	---

12. ECOLOGICAL INFORMATION

Ecotoxicity	No data is available on this product.
--------------------	---------------------------------------

13. DISPOSAL CONSIDERATIONS


General information	Dispose of in compliance with all local and national regulations.
Disposal of packaging	Containers must be recycled in compliance with national legislation and environmental regulations.

14. TRANSPORT INFORMATION

CHEWING GUM REMOVER THICK

Revision 18
Revision date 15-Mar-2007

15. REGULATORY INFORMATION

Symbols	Xn - Harmful 
Risk phrases	R10 - Flammable. R38 - Irritating to skin. R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65 - Harmful: may cause lung damage if swallowed.
Safety phrases	S1/2 - Keep locked up and out of the reach of children. S7 - Keep container tightly closed. S13 - Keep away from food, drink and animal feedingstuffs. S23 - Do not breathe gas/fumes/vapour/spray. S25 - Avoid contact with eyes. S37/39 - Wear suitable gloves and eye/face protection. S46 - If swallowed, seek medical advice immediately and show this container or label. S62 - If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

16. OTHER INFORMATION

Text of risk phrases in Section 2	R10 - Flammable. R38 - Irritating to skin. R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65 - Harmful: may cause lung damage if swallowed.
Further information	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. This version replaces all previous versions.
Revision	This document differs from the previous version in the following areas: 15 - symbols. 16 - text of risk phrases in Section 2.